

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



# INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:

H04N 7/10, 7/14

(11) International Publication Number: WO 98/06219

A1

(43) International Publication Date: 12 February 1998 (12.02.98)

(21) International Application Number: PCT/US97/13751

(22) International Filing Date: 5 August 1997 (05.08.97)

(30) Priority Data:

60/022,436 6 August 1996 (06.08.96) US 08/906,073 5 August 1997 (05.08.97) US

(71) Applicant: STARSIGHT TELECAST, INCORPORATED [US/US]; 3rd floor, 39650 Liberty Street, Fremont, CA 94538 (US).

(72) Inventors: SCHEIN, Steven, Michael; 1326 Hoover Street #10, Menlo Park, CA 94025 (US). LEFTWICH, Jim; Suite F., 131 Hawthorne Avenue, Palo Alto, CA 94301-1036 (US). FOLKER, David, M.; 39505 Gallaudet Drive #362, Fremont, CA 94538 (US). HUNWICK, Keith; 928 Wright Avenue #1006, Mountain View, CA 94043 (US).


(74) Agents: KRUEGER, Charles, E. et al.; Townsend and Townsend and Crew LLP, 8th floor, Two Embarcadero Center, San Francisco, CA 94111 (US). (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

# Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: ELECTRONIC PROGRAM GUIDE WITH INTERACTIVE AREAS



#### (57) Abstract

A television schedule system and method for displaying television schedule information on a television screen (38) includes a program guide (102) having a schedule information area (106) that depicts the programs that are being presented on each channel at each time during the day. An input device allows the viewer to move a pointer (110) over different interactive areas of the guide and the function performed when the area is activated is displayed in a contextual help window (218). Various control glyphs provide for recursive interaction with the guide. Additionally, a video window (220) is interactive and provides tuning functions.

# FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	ĢН	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	หบ	Hungary	MI.	Mali	TT	Trinidad and Tobago
BJ	Benin	1E	tretand	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Relants	1S	Iceland	MW	Malawi	บร	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzatan	NO	Norway	zw	Zimbabwe
Cl	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		•
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

## ELECTRONIC PROGRAM GUIDE WITH INTERACTIVE AREAS

5

10

15

20

25

30

35

## BACKGROUND OF THE INVENTION

The present invention generally relates to television schedule information, and more particularly to a system and method for displaying a television program guide on a television screen.

As the number of television stations in a metropolitan area or on a cable network has increased, the number of programs of potential interest that are presented to a viewer has risen dramatically. With the use of dish antennas capable of receiving direct satellite signals, the multitude of programs available to the viewer has further increased.

Additionally, television faces a digital future that will see the merger of television and PC technology. The television set of the future will include a micro-computer, a modem of interconnectivity with other computers over networks, intranets, and the internet, and be connectable to computer peripherals such as printers. Such capabilities as near "video on demand" (NVOD), "video on demand", access to the world wide web", "audio on demand", etc. will be present the viewer with a plethora of information and bandwidth.

As has become increasingly evident, information overload can actually reduce the usefulness of the information delivered. Accordingly, a great challenge exists to provide an interface that manages and provides an intelligent, userfriendly interface to the information available.

Consequently, television schedule systems that are provided directly on the viewer's television screen have been developed to assist the viewer in sorting through these various programs and determining which programs to watch or record. One such television schedule system is disclosed in commonly assigned U.S. Patent No. 5,353,121 (Young et al.),

the complete disclosure of which is hereby incorporated by reference. In one embodiment of Young, the television schedule includes a series of menu screens having an array of cells corresponding to different television programs. The viewer may scroll through the cells to view which television programs are being presented on various channels at various times. In addition, the viewer may select certain cells to obtain more information on the associated program or to pull up other submenus with additional options.

The recent development of television schedule systems, such as the above described patent to Young, have created many new challenges. One such challenge is providing a system and method that is suitable for use on a PC, PC/TV, WebTV, or TV to manage intelligently the vast stores of information available and provide user access and control directly through an electronic program guide. Another challenge is to facilitate easy access to a wide range of functionality through the combination of a limited number of user interactions.

20

25

30

35

5

10

15

## SUMMARY OF THE INVENTION

The present invention provides a system and method for displaying schedule information on a visual interface, such as a television screen, a computer monitor or the like. The present invention also provides a system and method for allowing the viewer to navigate and interact with a program guide that is displayed, for example, on the viewer's television screen. The program guide will usually include a schedule information area that depicts the programs that are being presented on each channel at each time during the day. With an input device, such as a remote control device, pointing device, mouse, keyboard, microphone or the like, the viewer can browse through the schedule information area and/or obtain more information about programs of particular interest.

According to one aspect of the invention, actions are directly invoked by moving a pointer over areas of the visual interface and selecting or "clicking" on the area. A

"contextual help window" in the display area prompts the user as to what can be or needs to be done as the user moves the pointer over the display area. This feature insures that the user always knows what's going on.

5

10

15

20

25

30

35

In one aspect of the invention, a system and method is provided for allowing the viewer to utilize display action controls, configured as glyphs, to recursively vary the configuration of the display area. Each glyph is activated by a point and click action of the user input device and serves as a switch for changing between two modes.

According to one aspect of the invention, an "information glyph" switches back and forth between a title-only grid/list of many items (either a grid or listing, with one item selected) and an "information expansion" of a single item (expanding to display scrollable program or item information). The information glyph provides zoom-out for an overview or zoom-in for in-depth information.

According to another aspect, a "find others glyph" automatically searches for and displays a listing of all other airings of a currently-selected program.

According to a further aspect, a "flip glyph" flips between vertical and horizontal configurations of the display area.

According to another aspect of the invention, a "record glyph" allows for directly controlling recording with a single click.

According to another aspect of the invention, a World Wide Web (WWW) icon appears on the display when a link to a website associated with the currently-selected program exist. Clicking on the WWW icon connects the user's system to the associated website.

According to another aspect of the invention, a linked services icon appears on the display when linked services associated with the currently-selected program are available. Clicking on the linked services icon configures the user's system to access linked services.

According to another aspect of the invention, when the user moves the pointer over a video window showing a currently-tuned channel the window splits into two parts. A top part is a clickable area allowing the user to tune directly to a currently-selected program in the display area and a lower part allowing the user to return to the currently-tuned program that was being displayed before the window split.

5

10

15

20

25

30

35

According to another aspect of the invention, scrollable area are highlighted when the pointer is moved into the area with arrows indicating the direction of scrolling. Areas within a display area can activate scrolling of only a portion of a display area.

According to another aspect of the invention, each action is performed by a user is confirmed in a text window to reinforce the user's confidence that the action has been performed.

According to another aspect of the invention, a display mode title area displays a current display mode icon and text description when not selected and displays alternative selectable display mode icons when activated.

According to another aspect of the invention, a browsing window may be activated when a program is being viewed which may display the record glyph and world and linked-services icons.

Other features and advantages of the invention will be apparent in view of the following detailed description and the appended drawings.

## BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a representation of an embodiment of the EPG display of the present invention;

Fig. 2 is a block diagram of a TV system;

Fig. 3 is a block diagram of a hardware unit for generating an on-screen electronic programming guide (EPG);

Fig. 4 is a schematic diagram of the hierarchical database utilized to generate the EPG;

Figs. 5A-5D are schematic diagrams of data structures in the database;

Fig. 6 is a schematic diagram depicting the transmission of an EPG in a digital satellite system;

5

10

15

20

30

35

Figs. 7-10 are representations of displays that implement the scrolling function;

Figs. 11-14 are representations of displays that implement the find information function;

Figs. 15-17 are representations of displays that implement the find others function;

Figs. 18-19 are representations of displays that implement the vertical/horizontal flip functions;

Figs. 20-25 are representations of displays that implement the record function;

Fig. 26 is a representation of a display that implements the tuning function for the video window;

Figs. 27A-27H are representations of displays for implementing a transitional animation function;

Figs. 28 and 29 are representations of displays showing the interactive program mode area and icons; and Figs. 30-33 are representations of displays for interacting with the news services feature.

#### DESCRIPTION OF THE SPECIFIC EMBODIMENTS

25 OVERVIEW OF THE INTERACTIVE SCREEN

The present invention provides a schedule system and method for displaying schedule information on a visual interface, such as a television screen, computer monitor or the like. The system and method is particularly useful for use with television schedule information. The television schedule information is presented in a program guide having a schedule information area depicting the program that are being shown on each channel for a period of time, e.g., a day, week or longer.

The television schedule system includes an input device, such as a remote control device, pointing device, mouse, keyboard, microphone or the like, to allow the user to

browse through the schedule information area and/or obtain more information about programs of particular interest.

The controller may comprise a trackball, cursor controller, pointing device, a microphone for allowing voice activation, a number of keys or buttons that function to move the viewer around the screen, or the like. In the preferred embodiment, the controller comprises a scrolling mechanism for displacing a movable cursor through a matrix of cells or windows on the screen. The cursor may comprise a physical icon on the screen, or it may be represented by highlighting or other visual indications of the cells or windows that are scrolled through by the viewer.

Figure 1 illustrates a program guide 102 for the television schedule system of the present invention. The program guide 102, which is the primary mode in the television schedule system, includes a number of screen information areas or windows in a particular screen where the viewer operates an input device, such as a pointer device described above, to move around vertically and horizontally and to interact with that screen area's function. Preferably, the currently active screen area will be indicated to the viewer, for example, by changing the background color from a light greyscale metallic to a brighter, active color. Within each screen area are one or more items, typically arranged in a matrix or grid so that the viewer can scroll through the grid. The items can be selected or activated with the input device.

As shown in Fig. 1, program guide 102 preferably includes a schedule information area 106 having a program matrix 108 of cells or items that depict the shows that are being presented on each channel at each time during the day. Program guide 102 conveniently lists the channels in a vertical column to the left of the program matrix 108 and the times in a horizontal row above matrix 108. The viewer selects an area by moving a pointer 110 over the area associated with a desired action. When the pointer 110 is moved over an area, the item may be automatically highlighted with a brighter color to indicate the viewer's location.

In Fig. 1, program guide 102 includes a number of other information areas. For example, program guide 102 includes a display title area 200 that includes a display mode icon 202 and a display mode description text field 204. An interactive data control window 206 displays the date for the listings in display matrix 108.

5

10

15

20

25

30

35

Directly below the display area 108 are four small action controls 208-211 which give the viewer the ability to recursively vary the configuration of the display area 108. The operation and functions of these action controls is described in detail below. A world icon 214 may appear below the display area on the left side and a star (linked services available) icon 216 may appear directly below the display area on the right side. The operation and functions of the world star icons are described in detail below.

A contextual help window 218 is located at the bottom of the program guide 102 and displays a text field that informs the user of actions that can or need to be done when the pointer is located in a particular area of the program guide. Many examples of the different text fields that appear in the contextual help window 218 are described below.

A video window 220 may display a currently-tuned television show. Below the video window 220 is a channel window 222, a title window 224, and a current time display window 226. Each of these windows are interactive as described below.

## OVERVIEW AN EPG SYSTEM

In a preferred embodiment, the electronic program guide of invention may be implemented either on a personal computer, a PCTV, a television connected to a set-top box, or a television including a custom board. However, the invention is not limited to any particular hardware configuration and will have increased utility as new combinations of computers and television systems are developed. In the following any of the above will sometimes be referred to as a "TV system". Block diagrams of representative TV systems are depicted in

Fig. 2. Details of implementation are not depicted because the invention is not limited to any particular TV system.

5

10

15

20

25

30

35

As is well known, the picture to be displayed may be transmitted as an analog signal, for example according to the NTSC standard utilized in the United States, or as a digital signal modulated onto an analog carrier. The signals may be received over a cable, or via an antenna or satellite dish. Typically, television sets are designed to receive analog signals and computers display devices are designed to display pictures encoded in a digital format. However, decoder system converts the digital data to an analog signal for display on a television set and TV modems can format analog TV signals for display on a monitor.

In Fig. 2, analog or digital TV signals, received via cable 30, antenna 32, or satellite dish 34, are provided to a television system. If the signal is from a digital broadcast service, then a decoder 36 converts the signal to baseband video and audio or channel 3/4 RF. If the signal is an analog signal it is passed through as a video output. The television system 38, depending on its configuration, receives selected ones of the outputs and displays the received program.

A PCTV includes a TV card 40, connected to either live video, baseband video, or channel 3/4 output, digitizes the video image and displays the video image in a resizable window on the computer monitor. The PCTV is also coupled to land telephone lines by a modem 42.

If the received signal is an analog TV signal the TV card of the PCTV digitizes the analog signal and extracts included information from the vertical blanking intervals. On the other hand, if the signal is a digital signal separate audio, video, VBI (vertical blanking information such as closed caption, teletext, and program related information), program guide, and conditional access information are provided as separate bitstreams. The video and audio bitstreams for programs are converted to a format for display and the program guide information is processed to form program guide database.

The processor, executing software stored in memory, generates interactive electronic program guide images and images of received programs. The guide can be used to interact with and control programs displayed in the window.

5

10

15

20

25

30

35

A television system configured to display an electronic program guide such as a guide provided by StarSight telecast includes an on-screen display controller and other hardware described below. If a standard analog broadcast signal is received program guide data is extracted from the VBI by a VBI data slicer and processed to form a program database. If a DBS digital signal is received, either from a satellite or cable, VBI and program data are provided in separate bit streams. The program guide images are generated are either generated locally or remotely and provided to an on screen display controller. Interactivity is provided via a remote control.

Alternatively, the program guide can be displayed on a computer monitor that interactively controls the television set through, for example, an IR interface including an IR blaster 44 to generate IR codes to control the television and/or a VCR.

If the electronic guide database is generated locally the system for creating the electronic programming guide must receive television schedule information and process the received information to create a database. Thus, the system requires, a data reception unit, a processor, memory to store program code and a database, an on-screen display generator (OSD), and a control interface for tuning to selected channels.

In one preferred embodiment, the schedule information is transmitted as a set of short commands of specified formats. Different commands communicate information such as a show schedule for a given channel, the title of each show in the schedule, descriptions and information attributes about each show in the channel. Thus, information for a show to be broadcast at a particular time is transmitted in several commands. ID numbers in the commands facilitate organizing

5

10

15

. 20

25

30

35

the information into a relational database utilizing database engine (DBE) software stored in memory and executed by the processor.

In a preferred embodiment, a board is included at a viewer's television set and the database is stored locally and commands are transmitted in the VBIs of programming on a designated channel, for example PBS. An example of a board for receiving program guide information, generating program guide database, displaying the program guide, and interactively controlling the program guide is depicted in Fig. 3. The commands are transmitted to the board in the vertical blanking intervals of programming broadcast on a designated channel.

Alternatively, the commands could be transmitted to the local unit over land telephone lines. Additionally, as described below, is some systems the database is built remotely and the guide itself is transmitted to the local unit.

The database engine builds a hierarchical database in the RAM. The hierarchical structure of the database is depicted in Fig. 4. The database is structured internally as schedule data structures and theme data structures linked by handles and handle tables. Each handle is an index to a handle table which contains pointers to blocks of memory where items of the database are stored.

In another embodiment, for example a DSS system, program guide data is transmitted as a bit stream that is processed by the database engine.

Additionally, a N.E.W.S. (new, entertainment, weather, and sports) database has been developed. Commands including story text and story IDs are transmitted. Links from the program guide to stories related to a program can be created and the related stories can be accessed from the guide.

An advertisement database is also created from commands including advertising text and logos including IDs for linking the ads to shows displayed in the EPG. The user

may access the advertising information directly from the guide.

An internet database is also created from commands including URLs to internet sites related to programs displayed on the EPG. If the viewer is viewing the EPG on a platform that is Web enabled, e.g., WebTV, a PC, or PCTV, then a linked site can be accessed directly from the EPG.

Additionally, a graphics program module builds various displays utilizing schedule, show title, and other information from the database. If the OSD controller operates in the character mode the display is a grid of character codes which are transferred to the OSD controller which generates the on-screen display.

An input-response user interface program module responds to user input to generate new displays responsive to the particular input. In one preferred embodiment, the user utilizes an input device, e.g., a remote control, mouse, or keyboard, to place a pointer over a part of the current display and clicks. The input-response module responds to the position of the pointer and the particular display currently displayed to generate a responsive display or take a particular action. In another preferred embodiment the user interface responds to function buttons on a remote control. Specific examples will be described below.

25

30

35

5

10

15

20

# DETAILED DESCRIPTION OF THE EPG SYSTEM

## BOARD DESCRIPTION

Fig. 3 is a block diagram an embodiment of the electronic hardware unit 52 utilized to perform the electronic on-screen schedule display and other functions. The particular hardware unit 52 depicted is for TVRO (TV Receive Only) customers having home satellite dishes for television viewing. This unit is coupled in series with existing customer TVRO equipment.

In Fig. 3, the unit receives Baseband Video in 123 from the customer TVRO system. The unit optionally outputs

Baseband Video out 128 or channel 3/4 RF out 130. The unit includes an 8-bit microprocessor 100, 64 bytes of code ROM 101, 512 K of RAM 102 for program data storage, a custom gate array 103, segmented base registers 104 for fast memory data manipulation, security logic 106 for decoding incoming encrypted data, a serial bus 108 for display controller interface, serial bus 110 for inter-processor communication, watchdog timer 112 for error recovery, IR input 113, IR transmitter circuits 116 for TV, VCR control, IR output 117, CRC-32 encoding and decoding logic 118, on-board power supply 120, video input 123, On-Screen Display Controller and Formatter 124, custom color converter 126, RF modulator 127, choice of Baseband Video or RF outputs 128 or 130.

The on-screen display controller and formatter (OSDCF) 124 functions as an I/O controller, an on-screen display controller (OSD), and also as a closed-caption data (CCD) VBI data slicer. The VBI (vertical blanking interval) is a dead space in a TV signal that allows a television signal to reposition the scanning electron beam from the bottom to the top of the screen. Digital data, for example closecaptioned data, is modulated onto the carrier signal during the VBI.

The OSDCF 124 includes an analog to digital convertor (ADC) which digitizes the incoming baseband video and extracts digital information transmitted in the VBIs. As explained more fully below, messages for transmission to the database are transmitted in the VBIs. These messages are transferred to the processor 100 which executes a data base engine process to build or update the database.

The OSD part of the OSDCF 124 includes cache memory, character memory, timing functions, and an external RAM. The OSD reads high level graphic commands sent from the processor 100 and stores graphic information in the RAM. The OSD outputs red (R), green (G), blue (B), graphic data which is used to generate a local video signal. Depending on the state of the user input interface, described below, the OSD local video output or the incoming live video will be displayed.

Accordingly, screen display graphic data generated by the database engine is transferred to the RAM of the OSD which the generates a local video signal that causes the display screen to be displayed on the television screen.

5

10

30

35

#### SCHEDULING DATA STRUCTURES

The DBE builds a hierarchical database in the RAM. The hierarchical structure of the database is depicted in Fig. 4. The database is structured internally as schedule data structures and theme data structures linked by handles and handle tables. Each handle is an index to a handle table which contains pointers to blocks of memory where structures of the database are stored.

The hierarchy for the schedule data structures, in descending order, is:

Channel Data Table: contains subscriber unit's list of

channels;

Show List: contains time slots for each show

20 scheduled to be broadcast for a

channel;

Show Title: contains the title text and show

title attributes;

Show Description: contains show's ratings, attributes,

25 and description text.

A channel data table, depicted in Fig. 5A, is the highest data structure in the hierarchy. This table includes an entry for each channel received by the subscriber unit. The entries in the channel data table are changed infrequently and are determined by the location of the subscriber unit and type of services received. Each channel data table entry includes information concerning the channel and a handle to a show list handle table for the channel.

The next data structure in the hierarchy is the show list depicted in Fig. 5B. The show list includes a start time typically being midnight GMT and 24 hours of scheduling. The

channel's schedule is given by an ordered sequence of show slots, with a show slot for each show to be broadcast by a particular channel for a particular day. Each slot includes a duration, show title handle, and show description handle. Finding an entry corresponding to a given start time requires the entries to be scanned, in order, from the beginning of show list and adding duration values.

5

10

15

20

25

30

35

The database, when fully constructed, holds a weeks worth of show lists for each channel. The days of the week are accessed by incrementing the show list handle by two bytes. The show lists are updated each day at midnight GMT with the show list for the day just completed being deleted and the show list for same day next week being added to the database.

The next data structures in the schedule hierarchy are the show title entries, depicted in Fig. 5C and show description entries, depicted in Fig. 5D. For a given show slot the show title entry and show description entry are accessed utilizing the handles included in the slot. title and show description entries are stored in a memory pool divided into blocks. Each show title is identified by a unique 20-bit show identification number (SID) and each show description is identified by a unique 20-bit number assigned at the head end. The show title handles are based on the SID and the show title handles are offsets into a show title handle table. The entry in the show title table accessed by a particular show title handle includes the address of the first block in the memory pool where the show title entry is stored. Similarly, the show description handle table entry accessed by a show description handle stores the address of the first block in the memory pool where the show description entry is stored.

Each show title entry includes theme index ID and the text of the show title. Typically, a single show title entry will be referenced by many show lists for different channels, days, and times. Thus, by utilizing handles in the show lists all show lists reference a single show title entry

in memory so that memory is efficiently used. Many show title entries have a long life because the show titles may be for series that are broadcast over long periods of time and may be referenced by many showlists since many shows are broadcast by multiple channels.

Each show description entry incudes a theme index ID, critics rating, MPAA rating for the show, traits mask bits, year produced, and show description text. Show description entries tend to have a shorter life than show title entries because a description is only valid for a particular episode of a series.

#### SCHEDULE SEARCH

5

10

15

20

25

30

35

To obtain schedule information for a particular time and to display the schedule information in the programming grid requires the following steps. For each channel in the channel list, the show list for the day is accessed and scanned. Horizontal blocks for the channel are sized according to the duration of the show slots including and following the selected time. The show title entry referenced by each show slot is accessed and the show title is displayed in the horizontal block corresponding to the show slot.

### FAVORITE CHANNEL LISTS

Referring back to Fig. 5A, every entry in the channel data table includes a FAVORITES LINK field. This field includes a link to a next favorite channel and is utilized to form an ordered, linked list of channels in an order determined by the user.

The user interface and database engine provide screens to facilitate the ordering and selection of channels to be displayed in the guide. A link to the first channel in an ordered channel list is stored in memory. This link is utilized to access the channel table entry for the most favorite channel. The FAVORITE LINK in that channel is accessed and utilized to access the channel table entry for the next favorite channel and so on until a designated

delimiter value, e.g., 0x00, indicates the end of the favorite channel list.

The capability of having more than one favorites list can be supported by having multiple FAVORITE LINK fields stored in each channel table entry.

#### AD DATA STRUCTURES

5

10

15

30

35

An ad list data structure is similar to the show list. It includes a start time and 24 hours of ad scheduling. The ad list is regionalized and includes an ad slot for each ad to be broadcast for a given day. The ad slot includes a duration and an Ad ID utilized to access an ad entry.

Each add entry includes an ad banner text field, an ad text field, and a pointer to an ad logo, if appropriate. The ad logo includes a graphics file to be displayed with the ad.

The ad entries include the ad banner text, ad text,

#### HELP WINDOW DATA STRUCTURE

20 The database also includes a help string list storing ASCII help strings to be displayed in the contextual help window 218. Each help string in the list is associated with an interactive area of the EPG display. When the viewer moves the pointer over an interactive area the user interface generates a new screen displaying the associated help string displayed in the contextual help window 218.

BUILDING THE DATABASE

The data base is built by a data base engine software module operating on the processor. Messages comprising discrete commands are received by the database engine. Examples of commands include a Region Command which specifies channels available for a particular subscriber unit to be included in the Channel Data Table; a Channel Data command including information utilized to form the entries in the Channel Data Table; and Showlist, Show Title, and Show Description commands including SIDs and DIDs referencing areas in memory. The database engine selects only Showlist Commands

relevant to channels included in the Channel Table for further processing.

The data base engine creates storage locations in memory for all SIDs and DIDs included in any Showlist.

Information included in commands having matching SIDs or DIDs is written to the referenced memory area. In practice the SIDs and DIDs are processed by a hashing system for more efficient searching.

5

10

15

20

25

30

35

The messages may be transmitted to a subscriber unit in various ways. A system for receiving messages in the VBIs of broadcast programming has been described above. In a DBS system the messages may be transmitted in a dedicated bit stream.

In a DBS system video baseband signals are digitized, compressed, and modulated onto an analog carrier signals. Because of advances in the art of compression, a carrier once used to transmit a single program can now transmit four programs. Typically, in addition to video signals other bitstreams encoding information such as audio, VBI (vertical blanking information data such as closed caption and teletext), program guide information, and conditional access information are provided as separate bitstreams, multiplexed into a composite bit stream, and modulated onto a carrier signal.

Alternatively, the database itself may be transmitted in a digital data stream. For example, in DSS the program guide information is transmitted in block of 3 hours of programming for 36 channels. Programming is digitally modulated onto different bands. As depicted in Fig. 6, a satellite has several transponders 500 simultaneously transmitting on different bands. Several channels can be modulated onto a single band utilizing digital compression techniques. A bit stream including the current programming is carried by all bands. However, future programming for different blocks of channels is transmitted on different bands. The blocks are transmitted in as a carousel or endless

loop so that there may be a delay before a particular time band is received.

A decoder at the viewers location receives 16 carriers and controls a tuner/demodulator to select one carrier. The carrier is sampled, decoded, error-corrected, and demultiplexed to separate the various bit streams. The decoder includes video decoder chips decompress compressed video to reconstruct pictures of virtually any size.

When the viewer accesses the guide the block for that time period is loaded into memory so that the user can interact with the guide. For a future time and different channel there may be a time delay. For example, if the current programming block were B1 and the block currently received is B4 the user must wait for blocks B5, B6, and B7, to be transmitted before the current programming can be received and displayed. The viewer would wait for a time delay equal to the sum of time durations for transmitting each block, i.e., d5+d6+d7. If the program guide block is modulated onto a different band the cable box must tune to the band and wait until the desired block is transmitted on the carousel. So if the guide is accessed for future programming there could be a delay.

For cable the database is built at the SST head end and sent over land-lines to the cable head end. Cable company sends data anyway it wants, VBIs, satellite, digital, etc.

#### USER INTERFACE

5

10

15

20

25

30

35

The user interface takes remote control commands as its primary input. In one embodiment a user requests various functions by pressing function buttons on a remote control. In another embodiment, the GUI is utilized with different interactive regions on a displayed screen corresponding to different functions. The user moves the cursor over the interactive region corresponding to a desired function and selects the function to generate command. The particular form of entering a command is not critical and technology for utilizing voice commands may soon be available.

The user interface receives commands and responds with a requested display screen and by performing the function requested by the command. The function performed may be to perform an action such as recording a program, tuning to a channel, accessing a related internet site, purchasing a payper-view program, or purchasing merchandise. The data and format of each screen is dependent on the previous screen, time of day, the contents of the data base, the command received, and other parameters. A state table is used to define the screen flow.

5

10

15

20

25

30

35

For every defined screen, there is an entrance function, an exit function, an update function, and an array of request-handling functions. The entrance function is called when a state is first entered to collect all necessary data and format the screen. The exit function is called to release memory and data for the screen. The update function is called once per minute to update the screen time and to redraw the screen if any information displayed on the screen needs to be updated.

Once in a particular state, the table contains a reference to another software function corresponding to each key on the remote control or to each interactive region on the screen. These referenced functions will be executed whenever an associated remote control button is pressed or interactive region is selected.

For example, if the user wishes to record a program, in the GUI embodiment, the viewer moves the cursor over the record interactive region which is then selected to request that the recording function be performed. A confirmation screen will then be generated. Once the user confirms the recording request, an entry is made in a recording queue. A record daemon is then called from the real-time executive to examine the queue and manage recording functions.

The screens are displayed by the on-screen display (OSD) controller based on graphic display commands issued by the database engine. Among the primitive commands need to draw system display screens are the Erase Screen Command; Draw

Rectangle Command; Save Rectangle Command; Restore Rectangle Command; Move Rectangle Commands; Write ASCII String Command; and Draw Channel Icon Command.

Each screen includes areas that are constant and based on code and data stored in non-volatile memory and variable areas such as show titles and descriptions which utilize data stored in the database. As described above in the description of the database engine, the database is structured to facilitate efficient searching for information, generally in the form of ASCII text strings, stored in the database. Additionally, graphics files are also being stored in the database to be displayed in windows of the display screen.

#### DETAILED DESCRIPTION OF PROGRAM GUIDE

## DESCRIPTION OF THE SCROLLING FUNCTION

5

10

15

20

25

30

35

Scrolling areas 228-232 allow for scrolling the contents of the display area in any direction. The operation of the scrolling areas 228-232 is described below.

Referring to Fig. 7, when the user moves the pointer over the scroll right zone 230 the zone highlights in bright green with arrows indicating the scrolling direction. The text displayed in the contextual help window 218 informs the user that clicking will scroll the display to the right to display later programs. Each click scrolls the display one half-hour. A click-and-hold scrolls a half-hour every half-second, accelerating over time as the user continues to hold, coming to a stop upon letting up.

Figs. 8, 9, and 10 depict scroll up, scroll left, and scroll down operations respectively. For the scroll up and scroll down operations each click displays the next complete vertical screen. A click-and-hold displays a new vertical screen every half-second, accelerating over time.

The operation and functions of the various action controls 208-211 will now be described.

## DESCRIPTION OF INFORMATION GLYPH

5

10

15

20

25

30

35

Referring to Fig. 11, after selecting an item in the program display, when a user moves the pointer from the currently selected program and places the pointer over the information glyph 209 the glyph immediately splits into a two part recursive control button. The left button 209a symbolically suggest zooming-back on the selected item to obtain necessary information included in a cell and right button 209b symbolically suggests zooming-in on a particular item to see in depth information concerning a selected program. Note that the text in the contextual help window 218 tells the user what action to take and the results of the action.

Referring to Fig. 12, as soon as the user completes the click on the zoom-in glyph 209b, a transitional animation (described below) occurs and the currently selected program item moves to a top window 209c and information about that program stretches downward in a central window 209d. The user interface directs the database engine to display program description text in the central window 209d. Both elements stretch horizontally to occupy the entire display area leaving only scroll zones around the periphery. The user may now scroll around the guide in the same manner as described above. The text in the contextual help window 218 informs the user that double clicking in the area where the pointer is located will tune directly to the program.

Referring to Fig. 13, when the user moves the pointer over the text area the text in the contextual help window informs the user that clicking in this area scrolls down the text. An information scroll indication zone at the left of the text displays a highlighted area in which tow arrows point downward in the direction of scrolling.

Referring to Fig. 14, the user has moved the pointer over the information glyph 209 which again splits showing the two different zoom configurations. The currently selected button 209b is highlighted. The pointer is over the left

button 209a and the text in the contextual help window 218 informs the user that a click will access the program guide.

#### DESCRIPTION OF FIND OTHERS GLYPH

Referring to Fig. 15, after selecting a program, when the user moves the pointer over the find others glyph 210 the glyph immediately splits into a two part recursive control button. The left button 210a symbolically suggests the selected program included in program display and right button 210b symbolically suggests a multiple listing of the selected program. Note that the text in the contextual help window 218 informs the tells the user what action to take and the results of the action.

Referring to Fig. 16, after clicking on the multiple-listing glyph 210b the system displays a listing of all occurrences of the selected program in chronological order. The currently selected program is automatically selected. If the currently selected program had been for a date in the future it would appear in the middle of the list with programs occurring previously listed above it. Note that the text in the contextual help window informs the user that double-clicking will tune directly to this program.

Referring to Fig. 17, the user has moved the pointer over the find others glyph 210 which again splits showing the two different display configurations. The pointer is over the left button 210a and the currently selected button is highlighted. The text in the contextual help window 219 informs the user that a click will display the selected program in the program display grid.

30

35

5

10

15

20

25

## DESCRIPTION OF VERTICAL FLIP GLYPH

Referring to Fig. 18, when the user moves the pointer form the currently selected program and places it over the vertical flip glyph 211 the glyph immediately splits into a tow part recursive control button. The left button 211a symbolically suggests a horizontal display pattern and the left button 211b symbolically suggests a vertical display

pattern. Note that the text in the constextual help window 218 tells the user what action to take and the results of the action.

Referring to Fig. 19, as soon as the user completes the click a transitional animation (described below) occurs and the display area rotates clockwise so that the current channel item is stretched across the top with the programs that were laid out horizontally before now listed vertically below it. The text in the contextual help window 218 informs the user that double clicking in the area where the pointer is located will tune directly to the program. All the action control buttons 208-211 are displayed and are functional.

## DESCRIPTION OF RECORD GLYPH

5

10

15

20

25

30

35

Referring to Fig. 20, when a user moves the pointer from the currently selected program and places the pointer over the recording glyph 208 the glyp is highlighted and the text in the contextual help window 218 tells the user what action to take and the results of the action.

Referring to Fig. 21, when the user clicks on the recording glyph 208 an action menu appears. In the Figure, the pointer is placed over the "Record once..." entry which is highlighted. The text in the contextual help window 218 tells the user that clicking will record the program once. This is the only option that appears because record once is the only frequency available for this program. For other programs it may be appropriate to display "Record Daily", "Record Weekly", "Record entire miniseries...", etc. The numbers that appear in the items are key-entry equivalents. For this reason, direct, keypad-entered tuning is disabled during functional sequences such as recording.

Referring to Fig. 22, when the user has clicked on the "Record once..." item a confirmation window 300 opens with text explaining the action about to be taken and with pointer placed over an "Okay" item which is highlighted. If the user clicks then the action described in the confirmation window will be completed. A "Cancel/Go Back" item is also displayed.

If the user clicks here then the action described in the confirmation window 300 is not completed and the display returns to the form depicted in Fig. 23. Note that the function of the "Okay" item is described by the text displayed in contextual help window 218.

Note that the other display action controls have disappeared because the actions invoked by those controls are not appropriate in this context.

5

10

15

20

25

30

35

As depicted in Fig. 23, when the user returns from the recording scheduling sequence, a tape symbol 302 has been added to the program item. This symbol will appear on all instances of this program item wherever displayed as long as it is valid.

Referring to Fig. 24, a selected program displays the tape symbol an the user places the pointer over the recording glyph 208. Note that the text in the contextual help window 218 informs the user that the selected program's recording settings may be edited.

In Fig. 25, only those action items appropriate to the selected program, in this example "Remove this program from the recording list...", are displayed. In other cases, such a program with multiple recording frequencies, the remaining settings would be accessible at this point, allowing the user additional changing options in addition to removing the program from the recording list. The item "Cancel/Go Back" item always appears.

The video window 220 can be used for all types of promotional, descriptional, or contextual video or graphics, such as a short preview of the show that is currently being highlighted in show matrix 106. The video window 220 is also interactional similar to the other areas of guide 102.

In an exemplary configuration, the video window 220 displays the currently tuned program "live" so that the viewer can browse through program matrix 106 without missing the action on the currently tuned program. This feature allows the viewer, for example, to keep track of the score of a football game while browsing through the program matrix or

performing other interactions with the system, such as purchasing goods or services, searching for more information on a program, etc. In another configuration, the viewer may set the video window to change as the viewer browses through program matrix 106 so that the video window 220 depicts the highlighted program in the matrix. This allows the television viewer to quickly view each program without exiting from the program guide 102.

Referring to Fig. 26, the user has selected a program in the guide, i.e., Wings of Desire, and placed the pointer over the video window 220. The video window is split into two interactive areas 220a and 220b. The top window 220a may be clicked to tune to the program selected in the guide or the bottom window 220b may be clicked to return to the currently-tuned program. The contextual help window 218 provides text to explain this split video window function.

A transitional animation storyboard for the flip transition from the horizontal to vertical display. As is well-known computer animation is achieved by displaying a series of images which differ by a small amount. By transitionally animating the changing of the displays the viewer becomes more comfortable and familiar with the functional of the EPG.

# 25 INTERACTIVITY OF THE DISPLAY MODE TITLE AREA

5

10

15

20

30

35

Fig. 28 illustrates that when the pointer is moved over the display title area 200 the display title area becomes an area of selectable icons 202a-d. The message in the contextual help window 218 indicates that the program guide is the current display mode. In Fig. 29 the pointer has moved over the Electronic News Service Icon 202b.

## FUNCTION OF ELECTRONIC NEWS SERVICE ICON

In Fig. 30, when the NEWS service icon 202b is selected a transition animation occurs and changes the display to a list of categorical choices. In Fig. 31, when the pointer is moved over the "1 Latebreaking News..." category

the help text indicates the function to be performed by selecting this category. In Fig. 32, a list of latebreaking news items is displayed when the "Latebreaking News..." category is selected. In Fig. 33, just as in other contexts, the headline story is expanded into scrollable text. Note also that the info glyph has expanded into its recursive state.

5

10

The database includes a title table of story titles each including a pointer to an entry in a story description list including the detailed text of the story. The user interface responds to selection of interactive areas to display the story titles and descriptions when associated area are selected by the viewer.

#### WHAT IS CLAIMED IS:

1. A system for directly invoking actions from interactive areas of an EPG displayed on a screen comprising:

an EPG display controller that processes display data to display an EPG display, and including interactive areas and a contextual help window, and displaying a pointer/cursor on the screen, with the interactive areas configured to invoke EPG actions, associated with interactive areas, when the interactive areas are selected by a viewer;

a memory for storing an EPG database containing display data, where said display data includes contextual help text associated with each interactive area, and program data;

an input module that receives user pointer/cursor
movement commands;

a processor, coupled to the memory, the input module, and the EPG display controller, with processor configured to process:

database engine program data to execute a database engine that generates EPG screen data, access contextual help test, performs searches of said database to generate same program and same channel show lists;

user interface program data to
execute a user interface that user
pointer/cursor movement commands, and generates
response screens, with the user interface
responsive to movement of the pointer/cursor
over an interactive area to display contextual
help text in the contextual help window
explaining the action to be invoked by
selecting the interactive area and user
interface responsive to the selection of an
interactive area displayed on the screen to
cause the database engine to generate response
data for a reconfigured display associated with
an active area, and for providing the
reconfigured display data to the EPG display

controller so that a reconfigured display is displayed on the screen.

- 2. The system of claim 1 where said display data includes data for causing said EPG display controller to display an EPG display including interactive areas in the forms of glyphs and where said program data includes data for causing said user interface to recursively vary the configuration of the EPG display when the viewer activates the glyphs.
- 3. The system of claim 2 wherein a first glyph is a find glyph which splits into find-others and display-guide glyphs when activated, with said user interface for generating display data listing all programs for a selected channel when said find-others glyph is activated and for generating a grid of channels and programs when said display-guide glyph is activated.
  - 4. The system of claim 2 wherein a second glyph is a find-others-airings glyph which splits into currently-selected and find-others glyphs when selected, with said user interface for generating display data listing all other airings for a selected program when said find-others glyph is activated and for generating a grid of channels and programs when said currently-selected glyph is activated.

1

2

3

4

5

6

7

5. The system of claim 2 wherein a third glyph is a flip glyph which splits into horizontal and vertical glyphs when selected, with said user interface for generating display data vertically listing all programs for a selected channel when said vertical glyph is activated and for horizontally listing all programs for a selected channel when horizontal glyph is activated.

PCT/US97/13751 WO 98/06219

1

3

4

5

6

7

1

2

3

4

5

6

7

8

9

10

11

12

13

14

1

3

4

5

6

7

1

2

3

The system of claim 2 wherein a first glyph is a zoom glyph which splits into zoom-out and zoom-in glyphs when 2 activated, with said user interface for generating display data showing detailed program information for a selected channel when said zoom-in glyph is activated and for generating a grid of channels and programs when said zoom-out glyph is activated.

The system of claim 1 with said EPG display controller for displaying a selected video signal in an interactive video window on said screen which splits into select currently-tuned and select currently-selected channel video interactive areas when said pointer/cursor is positioned over said interactive video window;


with said program data including video signal selection program data;


with said processor configured to process said video selection data to display a currently-tuned channel in said interactive video window when said currently-tuned interactive area is selected or to display a currently-selected channel in said video window when said currently-selected active area is selected.

- The system of claim 1 wherein said program data includes data for causing said EPG display controller to display an EPG display including an interactive title mode area and where said program data includes data for causing selectable display controlling icons to be displayed in said interactive title mode display area when said pointer/cursor is positioned over said interactive title mode area.
- The system of claim 8 wherein a first display controlling icon is a program guide icon that, when selected, causes the user interface to display a program guide display.


10. The system of claim 8 wherein a second display controlling icon is a news services icon which, when selected,

3 causes the user interface to display a list of new services.






700



4/35




	Changet Data Jubie	
04.0	7 4 7 7 2 1 0	
0=0	NBR BLOCKS	
-	2 0=00	
340	NBR CHANNELS	
	CHANNEL ID	<b>.</b>
0±04	DET ICT HOF THE PRINTED HE TRAISE OF	١
0247		,
05.01	TRANSPONDER NBR 010	ᄤ
0:04	SATELLITE MBR DAG	u
0=04	SOURCE   CHANNEL TYPE PIMERON	إ
9.0B	MATIVE CHANNEL MBR 040	d
0r0C	MANE MASK BITS 0.0	Ę
٠.00	FAVORITES LINK 0.0	٩
0.00	SHOWLIST HANDLE TABLE LSB	1
8.10	AFFILIATION  AFFILIATION  LSB	
02.16	DUPLICATE CHANNELS (LSB)	

		<u>Den iliu</u>	
<b>0</b> ⊷0×	•	4 3 4 3 2 TYPE-0103	•   •
020		NEE BLOCKS	
0-01	7	VENSION VENSION	
0.01	мѕв		
		START TIME CALL	اوي
0+01		START DELIMITER - ONEE	
0=04	RESV	PPV CEPTON	DE DAITE OLO
0=209		DURATION	0=01
<b>œ</b> oA	MSB	SHOW TITLE HANDLE	L18
<b>6</b> *00	A158	SHOW DESCRIPTION HANDLE	- On Cu
0+0E	1158	GROUP ID	
•	:		
Ī		END DELINITED - OXFF	<del></del> ]

Fig. 5A

F 3 5 P3

1	WO 98/06219	6/35 PCT	/US97/13751
		t	
	j		į
-	Show Title Faces	Show Constrained Laife	
_	7 6 3 4 3 2 1 0  TYPE-0430NBR BLOCKS	7 0 1: 4 3 7: 1 0	!
Q=1	DI CHIPP COF SE BWIC TO REPORTABLE	DIOO TYPE-IN DUN RE BLOCKS	]
G <sub>24</sub>		OLOI CHIPTI COFT SF   BWICH HE   REPORT MEDI	_į
Qa.	O3 NISB THEMS INDEX ID	0x02 REFERENCE COUNT 0x001 AISB THEME INDEX ID	
<u>Ca</u>	SHOW TITLE TEXT	0103 CA:TICS RATING   MPAA TO COME TRAITS MASK BITS 0107 YEAR PRODUCED 0108 SHOW DESCRIPTION TEXT	_!
	Fiz. 56	Person Subjection Lable	








Fig. 6



The user has moved the cursor over the scroll right zone. The zone highlights in tright green with directional arrows indicating scrolling direction. The contextual help window tells the user he or she may scroll in the same direction the arrows KARRINI, ACCOLOSATING AND TITHE AS THE USER CONTOURS TO FORT CONTINUED O A GLOD Equivalenting up. nowity clicking in that scroll zone. A single click hiere will scroll a hall-hour segment toward in time. A click-and-hold will scroll a hall-hour every hall.






b5 Program Guide / Scroll Up


The train has moved the cursor over the scroll up zone. The zone highlights in bright given with directional arrows indicating scrolling direction. The contextual help window tells the user he or she may scroll in the same direction the arrows point by direktion in that scroll zone. A single cleek herr will page up nine single hines at time (a complete vertical screen). A cleek and took will page up hine. Single hors at time (a complete vertical screen). A cleek and took will page up hine. Single hors at linne every tall-sectiond, accelerating mer time as the user contextual to half continue follows:





the transland may and the curson over the scroll left zone. The zone highlights in


high green with directional arrows indicating scrolling direction. The contextual help window tells the user he or she may scioll in the same direction the arrows point by clicking in that scroll zone. A single click here will scroll a hall-hour segment hackward in time. A click and-hold will scroll a half-hour every hall. second, accelerating over time as the user continues to hold, coming to a stop. die Berling regi




by Program Guide / Scroll Down

The user has moved the cursor over the scroll down rone. The zone highlights in highly green with directional arrows indicating scrolling detection. The contestual high window fells the user to stre may scroll in the same direction the airows pour by debauty in that scroll arms A secure high their will place down time single limits of much vertical screen). A chief arctificity will page up nine single hines at time every half second, accepted much rever time as the user.








As room as the user lets up, a transitional animation occurs and the currenty. Serveted program from moves to the top and intermation about that program stretches downward. Both elements stretch trousmanty so that program stretches downward. Both elements stretch trousmanty so that they occupy the entire its stray uses, leaving only stroid somes around the prequition. The user may now social around the guide goal in the same mayor as before, only now there is unly mingram from and its information distillayers at any piven from the condectivity to the

meigorg bytoeles


F1 /2



d3 Program Information / At Top of Information
The use has placed the cursor over the program's informational text, leaving the
program item is selected state (the single program arm visible in this display
continuation will always and automatically the selected. When the user scrolls to
automatically selected.) Suce the text is seculated, when the at the
obj. the entire least and its action are in which one rick will scrott the fact down
current and its attaination is arrell indication zone; find of text shows a


highighted (yellow/scrollable) state in which both arrows point downward in the direction of scrolling. The contextual halp window informs the user that clicking will result in paging down through the program's information.

F1 8




d6 Program Information / - Information Glyph
The user has moved the cursor completely out of the display area (note that the first area's scroll indications are no longer yellow, and placed if over the info glyph burneriately as before, the area becomes split into two, subwing the long displaying configurations with the currently selected program information symbol as highlighted flank and yellow). The contentual respiration lefts the user to click ener in see the listings of all programs, which will require the strings of all programs, which will require the strings of all programs, which will require the strings of all programs the content of the Trement and pringing area to the

7.2



states of this display action control, with the currently-selected single-program condiguous as highlighted (black and yellow). The certifestical help window tells the treate to cick once display a listing of all other turnes the currently-selected. the user has left the selected program item and placed the cursor over the first Olliers glypit. Imittertialely, the area becomes split into two, showing the two hane of the method




e 4 Finding Other Programs / Search Bristults

Alter ricking the find others glyph, the system displays a tisting of all occurences of this selected program in chronological noticit, with the currently selected program tem brang the one that automatically appears solvered. In this example, a forests fall after the scheeled program, however its possible that the user could conduct such a scarch from a future program, and the ADS would return some excurrences of the program along before the selective program. In those cases they would appear along the cruently solve the program in the results lets and

could be scrotted up through it necessary. The contextual help window fells the user that he or she may tune directly to the currently-selected program by double clicking on the principan item.

10 10




The triver, wanting to refurn to the program quote quid, moves the cursor down our of the display area and onto the find others glyph where it again splits into its two synthods. This time, the other side of the control is shown as selected (black and yellow). Clicking anywhere on this synthol will recursively set the display area back to the mital configuration, showing the currently selected (ringram item among the program item.)

a hatest in a ratherest consequention of the god, and it so would return to that

քեսյչու սմյքունյսեն


ころに



11 Grid Vertical Flip / + Vertical Flip Gtyph
The user has lell the currently-selected program item and t


The user has felt the currently-selected program item and placed the cursor over the filtr glyph. Immediately, the area becomes split into two, showing the two different the cinifications, and the currently selected vonzinal configuration as building the (black and yellow). The contestual help window tells the user to click order to the the depthy for a helping of all programs on the currently selected.






12 Grid Vertical Flip / Program tiem Click
As soon as the user lets up, a transitional animation occurs and the display area retained so that the the current channel tiem is strengthed across the top, with the programs that ware laid out horizontally helme, now lasted vencetly below to The display area is now configured similarly in the current StatSghi system's "Channel Guide" configuration. The contamation window tells the user that he or she may double click to time directly in the currently senected.

P1 19



c 1 Recording a Program / Glyph Click
The user has moved the cursor over the record glyph and it has changed to its
highlighter state. The contextual help window tells the user that this glyph may
be cheet on to record the currently-selected prugam nen. By clickwing the
recording glyph, a recording studing-on sequence agricultural fullius.

F.g. 20



The user has indived the cursor over the top tien. Plecond rings:

" The item is automatically highlighted. When the user clicks, the item is momentarily rendered.

in the selected state (upon click down). Since Theorid and it is the unly recording frequency available for this panicular program, it is the only one that appears. Other programs may have "Record Daily." "Record Worshy." "Record entire numerates." Its. as appropriate. The display action controls disappear during this forestional sequence , to awing the web and holises secures in one when

appropriate. The option to remove ('Remove Program from Recording List ...') list, while "Cancel / Go Back" always appears. The numbers shown on the items only appears when a program item has already then placed on the recordings are key entry equivalents. For this reason, direct, keypad-entered funing is disabled dumig finitional sequences such as recording. The contextual help window fells the trick force on the soles, find the program.



					Ch. 35 Lifetime Kitchen Time
Program Guide	10 Wings of Desire	Record once	This program is being added to 300 the Scheduled Recordings List.	2 Okay A	Click here to confirm and this program will be added to the Scheduled Recordings List.


c3 flecording a Program / Confirm

The user has cirched once on the 'Record once...' Henri and the continuation
striesh appears. The user has placed the cursor over the 'Chay' nem. The
contextual high window tells the user to click once to continuitial the program is
hong added to the recordings hist. Above the diadog hor is shown the previously
clicked parent nem. 'Record once.......' The user can click on that mem to go
directly hack to the previous step. In certain functional sequences, where there
might be several tiseds, the most recent parent will be wishly here, with super-

parents accessible by scrothing up


(important note in the example shown, the program is currently playing, so acrivating a record sequence would quickly turn the VCR on. The functional sequence shown, invitiving the addition of the program from to the Schedulod Recordings List is more any opinate for future programs not currently being aired.)

Fig. 22



c4 Recording a Program / Program Item Record Glyph When the user returns from the recording scheduling sequence, a tape symbol has been added to the piogram item. This glyph will appear on all instantiations of this piogram item wherever displayed (on any gridhfist anywhere in the ADS) for as thing as valid.

Fig 23



c5 Remove Recording / Glyph Click
With the "Wings of Desire" program from currently selected, the user has moved
the cursor over the record glyph and it has changed to its highlighted state. The
former fush help window tells the user that this glyph may he clicked on to edit the
currently selected program's recording sellings. By nicking on the recording
plyph, a recording submenu sequence automatically tollows.

Fig 74

			Ch. 35 Lifetime. Kitchen Time
apids margoral (m)	10 Kings of Desire	1 Remove this program from the recording list 0 Cancel / Go Back	Click here to remove the selected program from the Scheduled Recordings List. 2/3

C6 Remove Recording / Remove Click

The user has moved the cursor over the item 'Remove this program from the recording list.' The item is automatically highlighted. When the user clicks, the etem is momentarily endered in the selected-state (user click-down). The 'Record once' item is gone, however, if this were a program with multiple recording frequency settings, possible, the remaining settings would be accessible at this joint, allowing the user additional changing potions in addition to temoval of the program from the Scheduled Recordings Us' alteritiety. The display action


controls disappear during this tunctional sequence, leaving the web and linked services icons when appropriate. The item, "Cancel / Go Back" always appears. The contextual high window tells this tiser to slick once to remove the program from the Schestidied Heroritings List.



WED May 16	iss			ecial	Tune to Wings of Desire	willigs of Desile	re Return to	Kitchen Time	Ch. 35 Lifetime	Kitchen Time
WED	Friends Coffee Madness!		MTV News	ABC News Special	Jement Day	Best of Mickey	Wings of Desire			urrently selected
<i>Program Guide,</i> el 7:00pm	Seinfeld Elaine Gets Fired	48 Hours	The Real World	Action 7 News	Terminator II: Judgement Day	Disney on Parade	The Fourth Man	The Fugitive		Click here to tune to the currently selected
Channel	OSTER TO	2	· 6 14.	<b>a</b> 2	80	of Starte	10	11 HB®		

be Program Guide / Video Window
The user has left the selected program frem and placed the cursor over the live video window and the area is split into two interactive areas, with the top portion as an interactive area in which the user may click to tune directly to the program "Wings of Desire," which is shown as the currently selected program. The user may click on the bottom portion to return to the currently-tuned program. The contextual their window accountparies this still live video window iterative.

28/35



### Elio Activation Sequence


In stage 1, the user has the cursor placed over the selected program item bar. To activate the flip button the user must leave the program item and navigate towards the lower right region of the icons panel in which the flip button is located (See Stage 2).

In stage 2, the user has left the selected program nem bar (indicated by the shaded, rendered bar in the lower light region of the program guide gnd) selected, navigated to the flip icon and has placed the cursor over the flip-honzontal button. Immediately, the flip-honzontal and flip-vertical buttons appear and the flip-honzontal button is highlighted while the flip-vertical button is unsetted (See Stage 3).

In stage 3, the user has clicked once with the cursor over the flip buttons area. Once the flip buttons area is clicked on, the flip function is activated and the automated flip transitional metamorphosis begins. (See Stage 4,

F1927

51404



#### Automated Flip Transitional Metamorphosis (Transitional Sequence)

In stage 4, the automated (lip transitional metamorphosis has begun. The program guide grid has made a partial clockwise rotation.


in stage 5, the program guide grid has yet rotated even more in the same clockwise rotational direction.

In stage 6, the program guide grid has rotated rainely dagrees clockwise, with it's channel tractor bar height equivalent to its height in the flip-vertical configuration.

In stage 7, both the channel tractor bar and the program item bar have begun to expand horizontally to their right and left sides, while their neighbors are also proportioned equivalently to either of them. The channel bars to the right and left of the selected channel tractor bar are proportioned the same as the selected channel tractor bar. The program item bars to the right and left to the selected program item bar are proportioned the same as the line selected program item bar. The program grid has been compressed vertically and stretched horizontally, to reconfigure itself to the eventual flip-vertical configuration (See Stage 6.


In stage 8, the automated hip transitional metamorphosis ends. This is the program guide in its lite-ventoal configuration. The user has moved the cursor out of the icons region to disclay the fup-ventoal orientation. The text re-appears and the programs are now configured in columnar tashion according to channel. The user is now tree to navigate.

10 XX




If Electronic News Service / Program Guide Icon Highlight
The user has muzed the custon up and off the display area and over the display
mode rife area, and it has automatically become an area of selectable isons. The
light three around the Program Guide ison and the confermal networdow at the
bottom of the screen indicates that the Program Guide is the current display
mode. The glowing light around the Program Guide is the current display
mode. The glowing light around the Program Guide is the current display.

Fig. 28



12 Electronic News Service / Electronic News Service Icon Highlight
The user has moved the cursor across the area of selectable cons and over the
Electronic News Service icon, which automatically highlights (glows). The
contestual help window at the bottom of the screen inficiales that cheung on this
icon will give the user access to News, Waather, and Stinits

Fig 29



J3 Electronic News Service / Electronic News Service Icon Click
As some as the user clicks on the Electronic News Service display mode icon, the
transition animation occurs and changes the display area to the top level of
categorical choices (shown here as Laiebreaking News, ArchWeather, and
SportsUpdate, Inwever, it could be a wide range of similar services or these
could be spit into subcategories, i.e. WorldNews, NationalNews, and
LocalNews, etc., and/or WorldWeather, NationalWeather, and LocalNews etc., and the Electronic Nows Survice display modification as the light


Note background color, indicating it is now the currently-selected display mode (white the cursor remains in this area of the screen). All other screen icons have disappreased, as they are not applicable at this point. The contextual help window indicates what is currently harpening.


Fx 30

El Electronic News Service	
1 Latebreaking News	
2 AccuWeather	
3 SportsUpdate	
	7
16 (J.)	Ch 35 Lifetime
	Kitchen Time
Click here for instant access to today's top was stories.	KYON
	のこれでは、これには、これには、これには、これには、これには、これには、これには、これに

14 Electronic News Service / Electronic News Service Item Click When the user moves the cursor down from the display mode icon area, it changes to display the Electronic News Service icon, along with the mode fittle. Because of the nature of this top-level set of choices, both item highlighting and item set coinnia are coupled, so that the items are automatically selected as they removed across. The may exception to this would be if there were websites or linked services associated with these categorical services themselves. In theil ease, highlighting would, as normal, eating other and ease in theil ease.

selecting the item so that the world icon and/or star icon could be accessed. The contextual help window prompts the user to click on the selected currently-selected item to access news stories.






IS Electronic News Service / News Hem Highlight
As seem as the user clicks on the "Latebreaking News" them, the display changes
to alroung of news headlines. Thas a news terms can be doubtho-clicked to open
unite their that stories. At this point, the frem is highlighted, but not selected.
Clicking once to service the item would bring up any welbruss and the word won or
inked services and the starricon if these finks exist for that don't he parent dem.
I alebreaking those. It is shown at the foll, where it provides exist viceas back
if the theory was a comple click. This display is senalitation in executify the same.

way as other scroling lists, wa this scrubing zones above and below the displayed name (in this example, the 'G?', "tem is the topmost item, herce the scroll zone above it is inactive. The area below item 8 however, indicates that scrolling is pussible beyond the A tivins shown in the display area.)

7 32



If Electronic News Service / News Item Information
List as in other parts of the StarSight ADS, the news items in the Electronic News
Services I alterieshing News can be expanded into scrulatule first. And just as in
other displays, this allow is for scrolling ventrably hetween south, untimationally
retrouged articles. Note that the info glypth befow the display area has changed to
its occursive Stale, further reinforcing the connection tenview is use and doubledishing directly on an item to accomplish the same thing. The scrolling ancide
functions exactly as scrolling texts elsewhere in the StarSight ALIS.

F19.33

### INTERNATIONAL SEARCH REPORT

International application No.
PCT/US97/13751

	SHECATION OF SUBJECT MATTER		
HE CI	H04N 7/10, 7/14 348/569, 906, 7		
	o International Patent Classification (IPC) or to both	natural classification and IPC	
	DS SEARCHED	d by classification symbols)	
l	ocumentation searched (classification system follower	G by classification affinosa;	
	348/569, 906, 7, 6, 10, 12, 13, 565; 455/5.1		
Documentati	ion searched other than minimum documentation to the	e extent that such documents are included	in the fields searched
APS	nate base consulted during the international search (n		c, scarch terms used)
C, DOC	UMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where a	ppropriate, of the relevant passages	Relevant to claim No.
Y	WO 95/01057 A (FLORIN ET AL) 0 fig. 12-19, 22, 28	)5 January 1995, page <b>24-56</b> ,	1-10
Y,P	US 5,617,526 A (ORAN ET AL) 01 a fig. 4.	April 1997, col. <b>4, lines 3-23,</b>	1-10
A	US 5,559,550 A (MANKOVITZ) document	24 September 1996, entire	1-10
A	US 5,436,676 A (PINT ET AL) 25 Ju	uly 1995, fig. 3.	1-10
Y,P	US 5,585,866 A (MILLER ET AL) document.	) 17 December 1996, entire	1-10
Furt	her documents are listed in the continuation of Box	C. See patent family annex.	
.V. qu	secial categories of cited documents  cument defining the general state of the art which is not considered  be of perticular relevance	*T* later document published after the inte date and not in conflict with the appli- the principle or theory underlying the	liestion but eited to understand
.B. «»	rier document published on or after the international filing date	"X" document of perticular relevance; the considered novel or cannot be conside when the document is taken alone	e claimed invention eannot be red to involve to inventive step
cit	icunient which may throw doubts on priority claim(s) or which is led to establish the publication date of sizedler estation or other ecial reason (as specified)	*γ" document of particular relevance; the	stop when the document is
m.	coment referring so an oral disclusture, use, exhibition or other	combined with one or more other such being obvious to a person skilled in t	h douarents, mob combination the art
TP do	cument published prior to the international filing date but later than a priority date claimed	*A* document member of the same patient	t family
	actual completion of the international search	Date of mailing of the international sec	arch report
29 OCTO	DBER 1997	2 2 DEC 1997	
Commission Box PCT	mailing address of the ISA/US oner of Patents and Trademarks n. D.C. 20231	LINUS H. LO	Hill
Pacaimite N	lo. (703) 305-3230	†elephone No. (703) 305-4039	

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ other:

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.